Honeywell | Safety Products





Product Family Iron Duke® PVC Footwear

• Seamless, PVC injection molded footwear is 100% waterproof to ensure workers' feet are dry and comfortable • Flexible and durable upper allows for easy of movement for greater worker comfort • Deep angle cleated sole and heel help to grip slick surfaces preventing slips and falls • Meets ASTM F2413-11 M I/75 C/75



Product Numbers & Ordering Information

Product Numbers	Details
18802	Servus®, Iron Duke®, PVC, Safety Footwear , Plain toe Boot – Iron Duke® – Polyblend – 15 in (38.1 cm) – Black – Plain toe – extended ribbed steel shank – Removable and washable eronomic insoles – Men's whole sizes: 5 - 13
73104	Servus®, Iron Duke, PVC, Safety Footwear, Steel toe Boot – Iron Duke – Polyblend – 6 in (15.2 cm) – Black – "Safe-Toe" steel toe – extended ribbed steel shank – removable and washable ergonomic insoles – Men's whole sizes: 6 - 13

Packaging Information

1 pair per bag, 6 pair per case (18805 bulk packed)

Hazardous Materials

NA

Overview

Key Features

• Seamless, PVC injection molded footwear is 100% waterproof to ensure workers' feet are dry and comfortable • Flexible and durable upper allows for easy of movement for greater worker comfort • Deep angle cleated sole and heel help to grip slick surfaces preventing slips and falls

Recommended Industries/Use

- Agriculture
- Construction
- Food Services
- Manufacturing
- Municipal Services
- Pharmaceutical
- Transportation
- Utilities

Hazards

- Abrasion
- Contamination
- Impact
- Slip
- Splash

Regulations

- American Society of Testing and Materials ASTM F2413-11
- ANSI Z41-1991 OSHA 1910.136 states; The employer shall ensure that each affected
 employee uses protective footwear when working in areas where there is a danger of foot
 injuries due to falling or rolling objects, or objects piercing the sole, and where such
 employee's feet are exposed to electrical hazards. For more information go to
 www.osha.gov.
- Canadian Standards Association CAN/CSA Z195-09

Historical Brand

Norcross Safety Products

Warranty Information

Each new Product manufactured and/or sold by NSP is warranted to be free from defects in material and/or workmanship. NSP's responsibility is limited to, at its option repairing or replacing any instrument or part thereof, or issuing a credit, for a period of one year after shipment. NSP's warranty sets forth the limit of NSP's responsibility. ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS, ARE EXCLUDED

Specifications

Construction	Injection molded	
Height	6 inch to 15 inch styles	
Insole		
Insulated	No	
Material	PVC	
Metatarsal Protection	None	
Sizes	Men's sizes 3 - 13	
Steel Midsole Protection	None	
Steel Toe Protection	73104 Steel toe protection 18801 Steel toe protectin	
Tread	Deep angle cleated sole and heel	
Waterproof	Yes	

Technical Support

Technical Support is available Monday through Friday, 8:00 AM to 7:00 PM EST. 1.800.873.5242 hsptechsupport@honeywell.com

© Honeywell International Inc.