


Full Line Catalog



Magnum Series

**STAINLESS
STEEL**

By

Pressure-Pro



Pressure-Pro

Designed &
Assembled



In the USA

Magnum Features

- Non marking hose
- Service friendly design
- Flat free tires (portable models)
- Commercial / Industrial grade engines
- Stainless Steel Frames with lifetime warranty
- Commercial pumps from AR, CAT, GP, HP and VIPER (Coming Soon)!

Magnum Series
Service

- Competitive Pricing
- Industry Best Warranties
- Only Available through Select Dealers
- Contact your Dealer for information and Pricing.
- Visit www.Pressure-Pro.com for more details.

COLD WATER SERIES



Magnum Series

**STAINLESS
STEEL** *By* **Pressure-Pro** 



Magnum Series

STAINLESS
STEEL

By Pressure-Pro®



M4040HG

COLD WATER GAS DIRECT DRIVE 4000 PSI, 4 GPM

Honda GX390 with your choice AR, GP, HP or CAT Pump

Magnum Accessories

- 4 color coded QC spray nozzles
- 1 color coded QC chemical nozzle
- 1 long range QC chemical shooter nozzle
- Gun / wand assembly with SS quick connects
- 50' High pressure non-marking hose with SS quick connects
- Maxi-Flo 20% external chemical injector with SS quick connect

Available Options

- Skid mount: precede model number with S/
example: S/M4040HG
- Electric start option: GX390 models only

Magnum Features

- Low oil shut down
- 50 mesh inlet filter
- Adjustable pressure unloader
- Stainless Steel Frames with lifetime warranty
- 12" flat free tires and mag style wheels
- 3/4" cold rolled steel axle
- Thermo sensor preventing over heating in bypass mode

Extra O' rings



Magnum Series

STAINLESS
STEEL

By Pressure-Pro 



COLD WATER GAS BELT DRIVE 4000 PSI, 4 GPM

Honda GX390 with your choice AR, GP, HP or CAT Pump

Magnum Accessories

- 4 color coded QC spray nozzles
- 1 color coded QC chemical nozzle
- 1 long range QC chemical shooter nozzle
- Gun / wand assembly with SS quick connects
- 50' High pressure non-marking hose with SS quick connects
- Maxi-Flo 20% external chemical injector with SS quick connect

Magnum Features

- Low oil shut down
- 50 mesh inlet filter
- Adjustable pressure unloader
- Stainless Steel Frames with lifetime warranty
- 12" flat free tires and mag style wheels
- 3/4" cold rolled steel axle
- Thermo sensor preventing over heating in bypass mode

Available Options

- Skid mount: precede model number with S/
example: S/M4040HG
- Electric start option: GX390 models only

Easy access Engine and Pump Oil Drains



Extra O' rings



Magnum Series

Cold Water Series



Direct Drive Gas Series

Part#	Description						List Price
M3027HA	3.0 GPM	2700 PSI	GX200	Honda	AR Pump		\$1,928
M3027HC	3.0 GPM	2700 PSI	GX200	Honda	CAT Pump		\$1,926
M3027HG	3.0 GPM	2700 PSI	GX200	Honda	GP Pump		\$2,002
M3032HA	3.0 GPM	3200 PSI	GX270	Honda	AR Pump		\$2,338
M3032HC	3.0 GPM	3200 PSI	GX270	Honda	CAT Pump		\$2,578
M3032HG	3.0 GPM	3200 PSI	GX270	Honda	GP Pump		\$2,450
M4040HA	4.0 GPM	4000 PSI	GX390	Honda	AR Pump		\$2,603
M4040HC	4.0 GPM	4000 PSI	GX390	Honda	CAT Pump		\$3,111
M4040HG	4.0 GPM	4000 PSI	GX390	Honda	GP Pump		\$2,706

Direct Drive Diesel Series

Part#	Description						List Price
M4032KLDG	4.0 GPM	3200 PSI	KD420	Kohler	GP Pump		\$6,396
M4032KLDGE	4.0 GPM	3200 PSI	KD420ES	Kohler	GP Pump		\$7,771

Belt Drive Gas Series

Part#	Description						List Price
MB3025HA	3.0 GPM	2500 PSI	GX200	Honda	AR Pump		\$2,606
MB3025HC	3.0 GPM	2500 PSI	GX200	Honda	CAT Pump		\$3,439
MB3025HG	3.0 GPM	2500 PSI	GX200	Honda	GP Pump		\$2,668
MB4040HA	4.0 GPM	4000 PSI	GX390	Honda	AR Pump		\$3,396
MB4040HC	4.0 GPM	4000 PSI	GX390	Honda	CAT Pump		\$3,773
MB4040HG	4.0 GPM	4000 PSI	GX390	Honda	HP Pump		\$3,579

Belt Drive Diesel Series

Part#	Description						List Price
MB4032KLDG	4.0 GPM	3200 PSI	KD420	Kohler	GP Pump		\$7,618
MB4032KLDGE	4.0 GPM	3200 PSI	KD420ES	Kohler	GP Pump		\$8,926


HOT WATER SERIES



Magnum Series

**STAINLESS
STEEL**

By Pressure-Pro 



Magnum Series

**STAINLESS
STEEL**

By

Pressure-Pro 



M4230VB-20G1

HOT WATER PORTABLE ELECTRIC BELT DRIVE 2000 PSI, 4 GPM

5 HP BALDOR with your choice AR, GP, HP or CAT Pump

Magnum Accessories

- Gun / wand assembly with insulated grip and SS quick connects
- 50' High pressure non marking hose with SS quick connects
- Adjustable high pressure chemical metering system
- 5 color coded QC spray nozzles

Available Options

- Brake Kit part# BRK100
- Hose reel kit 150' x 3/8" max (hose not included part# HRK415)
- Inline adjustable thermostat part# ATK010

Magnum Features

- Rugged Stainless Steel roll cage frame with lifetime warranty
- Stainless Steel coil wrap
- High efficiency insulated schedule 80 coil
- 13" flat free tires and threaded axle
- High temperature couplings and o'rings
- High limit over temperature protection
- Beckett burner
- Safety pressure relief valve
- Thermo sensor preventing over heating in bypass mode
- 12' power cord (no plug)
- EZ access float tank



M4012-40HC

HOT WATER PORTABLE GAS DIRECT DRIVE 4000 PSI, 4 GPM

Honda GX390 with your choice AR, GP, HP or CAT Pump

Magnum Accessories

- Gun / wand assembly with insulated grip and SS quick connects
- 50' High pressure non marking hose with SS quick connects
- Adjustable high pressure chemical metering system
- 5 color coded QC spray nozzles
- Maxi-Flo 20% external chemical injector with SS quick connects

Available Options

- Brake Kit part# BRK100
- Hose reel kit 150' x 3/8" max (hose not included part# HRK415)

Magnum Features

- Rugged Stainless Steel roll cage with lifetime warranty
- Stainless Steel coil wrap
- High efficiency insulated schedule 80 coil
- 13" flat free tires and threaded axle
- Non marking hose
- High temperature couplings and o'rings
- Electric start engine
- High limit over temperature protection
- Beckett burner
- Safety pressure relief valve
- Thermo sensor preventing over heating in bypass mode
- Lighted rocker switch and adjustable thermostat



M4012VB-40G

HOT WATER PORTABLE GAS BELT DRIVE 4000 PSI, 4 GPM

Honda GX390 with your choice AR, GP, HP or CAT Pump

Magnum Accessories

- Gun / wand assembly with insulated grip and SS quick connects
- 50' High pressure non marking hose with SS quick connects
- Adjustable high pressure chemical metering system
- 5 color coded QC spray nozzles
- Maxi-Flo 20 external chemical injector with SS quick connects

Available Options

- Brake Kit part# BRK100
- Hose reel kit 150' x 3/8" max (hose not included part# HRK415)

Magnum Features

- Rugged Stainless Steel roll cage frame with lifetime warranty
- Stainless Steel coil wrap
- High efficiency insulated schedule 80 coil
- 13" flat free tires and threaded axle
- Non marking hose
- High temperature couplings and o'rings
- Electric start engine
- High limit over temperature protection
- Beckett burner
- Safety pressure relief valve
- Thermo sensor preventing over heating in bypass mode
- Lighted rocker switch and adjustable thermostat



6115MAG-40HG

HOT WATER SKID GAS BELT DRIVE 4000 PSI, 5.5 GPM

Honda GX690 with your choice AR, GP, HP or CAT Pump

Magnum Accessories

- Gun / wand assembly with insulated grip and SS quick connects
- 50' High pressure non marking hose with SS quick connects
- Maxi flo 20% chemical injector assembly with quick connects
- 4 color coded QC spray nozzles
- 1 color coded QC chemical nozzle

Available Options

- Wheel Kit part# PKW003
- Float tank kit with HP chemical metering valve part# FTK001

Magnum Features

- Stainless Steel Frames with lifetime warranty
- Roll cage dimensions: 48"L x 36"W x 50"H
- High efficiency insulated schedule 80 coil
- 15 gallon gas and diesel fuel tanks
- Non marking hose
- High temperature couplings and o'rings
- Electric start engine
- Stainless Steel Control panel mounted adjustable thermostat, hour meter, lighted rocker switch, tips and chemical metering
- Beckett burner
- Safety pressure relief valve
- 3VX belts offer balanced power transfer



7115MAG-35HA

HOT WATER SKID GAS BELT DRIVE 3500 PSI, 7 GPM

Honda GX690 with your choice AR, GP, HP, or CAT Pump

Magnum Accessories

- Gun / wand assembly with insulated grip and SS quick connects
- 50' High pressure non marking hose with SS quick connects
- Maxi flo 20% chemical injector assembly with quick connects
- 4 color coded QC spray nozzles
- 1 color coded QC chemical nozzle

Available Options

- Wheel Kit part# PKW003
- Float tank kit with HP chemical metering valve part# FTK001

Magnum Features

- Stainless Steel Frames with lifetime warranty
- Roll cage dimensions: 48"L x 36"W x 50"H
- High efficiency insulated schedule 80 coil
- 15 gallon gas and diesel fuel tanks
- Non marking hose
- High temperature couplings and o'rings
- Electric start engine
- Stainless Steel Control panel mounted adjustable thermostat, hour meter, lighted rocker switch, tips and chemical metering
- Beckett burner
- Safety pressure relief valve
- 3VX belts offer balanced power transfer

Hot Water Portable Direct Drive Series



Portable Electric Direct Drive Series

Part#	Description				
M3230-30A1	3.0 GPM	3000 PSI	6.0 HP	230V/1PH/25A	GP Pump
M4230-20G1	4.0 GPM	2000 PSI	6.0 HP	230V/1PH/25A	GP Pump
M4230-25G1	4.0 GPM	2500 PSI	7.5 HP	230V/1PH/35A	GP Pump
M4230-30G1	4.0 GPM	3000 PSI	7.5 HP	230V/1PH/35A	GP Pump
M5230-30A1	5.0 GPM	3000 PSI	10 HP	230V/1PH/44A	AR Pump
M4230-35A1	4.0 GPM	3500 PSI	10 HP	230V/1PH/44A	AR Pump
M4230-40A1	4.0 GPM	4000 PSI	10 HP	230V/1PH/44A	AR Pump

Portable Gas Direct Drive Series

Part#	Description				
M4012-40HA	4.0 GPM	4000 PSI	GX390	Honda	AR Pump
M4012-40HC	4.0 GPM	4000 PSI	GX390	Honda	CAT Pump
M4012-40HG	4.0 GPM	4000 PSI	GX390	Honda	GP Pump

Portable Diesel Direct Drive Series

Part#	Description				
M4012-32KLDA	4.0 GPM	3200 PSI	KD420ES	Kohler	AR Pump
M4012-32KLDC	4.0 GPM	3200 PSI	KD420ES	Kohler	CAT Pump
M4012-32KLDG	4.0 GPM	3200 PSI	KD420ES	Kohler	GP Pump

Hot Water Belt Drive Portable Series



Portable Belt Drive Electric Series

Part#	Description				
M4230VB-20G1	4.0 GPM	2000 PSI	5.0 HP	230V/1PH/25A	GP Pump
M4230VB-20G3	4.0 GPM	2000 PSI	5.0 HP	230V/3PH/12A	GP Pump
M4460VB-20G3	4.0 GPM	2000 PSI	5.0 HP	460V/3PH/6A	GP Pump
M4230VB-30G1	4.0 GPM	3000 PSI	7.5 HP	230V/1PH/33A	GP Pump
M4230VB-30G3	4.0 GPM	3000 PSI	7.5 HP	230V/3PH/17A	GP Pump
M4460VB-30G3	4.0 GPM	3000 PSI	7.5 HP	460V/3PH/8.5A	GP Pump
M5230VB-20G1	5.0 GPM	2000 PSI	7.5 HP	230V/1PH/33A	GP Pump
M5230VB-20G3	5.0 GPM	2000 PSI	7.5 HP	230V/3PH/17A	GP Pump
M5460VB-20G3	5.0 GPM	2000 PSI	7.5 HP	460V/3PH/8.5A	GP Pump
M4230VB-35G1	4.0 GPM	3500 PSI	10 HP	230V/1PH/46A	GP Pump
M4230VB-35G3	4.0 GPM	3500 PSI	10 HP	230V/3PH/23A	GP Pump
M5460VB-35G3	4.0 GPM	3500 PSI	10 HP	460V/3PH/12A	GP Pump
M5230VB-30G1	5.0 GPM	3000 PSI	10 HP	230V/1PH/46A	HP Pump
M5230VB-30G3	5.0 GPM	3000 PSI	10 HP	230V/3PH/23A	HP Pump
M5460VB-30G3	5.0 GPM	3000 PSI	10 HP	460V/3PH/12A	HP Pump

Portable Belt Drive Gas Series

Part#	Description				
M4012VB-40HA	4.0 GPM	4000 PSI	GX390	Honda	AR Pump
M4012VB-40HC	4.0 GPM	4000 PSI	GX390	Honda	CAT Pump
M4012VB-40HG	4.0 GPM	4000 PSI	GX390	Honda	HP Pump

Hot Water Skid Series



Skid Belt Drive 12VDC Series

Part#	Description					
6012MAG-35VG	5.5 GPM	3500 PSI	18 HP	Vanguard	HP Pump	
6012MAG-35HG	5.5 GPM	3500 PSI	GX630	Honda	HP Pump	
6012MAG-40HG	5.5 GPM	4000 PSI	GX630	Honda	GP Pump	
7012MAG-40HA	7.0 GPM	4000 PSI	GX690	Honda	AR Pump	
8012MAG-40VG	8.0 GPM	4000 PSI	35 HP	Vanguard	HP Pump	

Skid Belt Drive W/115V Series

Part#	Description					
6115MAG-30VG	5.5 GPM	3000 PSI	18 HP	Vanguard	HP Pump	
6115MAG-35HG	5.5 GPM	3500 PSI	GX630	Honda	HP Pump	
6115MAG-40HG	5.5 GPM	4000 PSI	GX690	Honda	HP Pump	
7115MAG-35HA	7.0 GPM	3500 PSI	GX690	Honda	AR Pump	
8115MAG-30HG	8.0 GPM	3000 PSI	GX690	Honda	GP Pump	
8115MAG-40VG	8.0 GPM	4000 PSI	35 HP	Vanguard	HP Pump	

Magnum Series

**STAINLESS
STEEL**

7300 Commercial Circle, Fort Pierce, FL 34951

Phone (772) 461-4486 Fax (888) 871-0365

email: sales@pressure-pro.com www.pressure-pro.com

